© Theodore Norvell, Memorial University

# Application: AVL trees and the golden ratio

AVL trees are used for storing information in an efficient manner.

- We will see exactly how in the data structures course.
- This slide set takes a look at how high an AVL tree of a given size can be.

#### The golden ratio

The golden ratio is an irrational number  $\phi = \frac{1+\sqrt{5}}{2} \cong 1.618$  with many interesting properties. Among them

- $\phi 1 = 1/\phi$ •  $\phi - 1 + \frac{1}{2}$
- $\bullet \phi = 1 + \frac{1}{1 +$
- $\phi$  turns up in many geometric figures including pentagrams and dodecahedra
- It is the ratio, in the limit, of successive members of the Fibonacci sequence


1

Discrete Math. for Engineering, 2005. Application slides 5

### **Binary trees**

A binary tree is either


- $\bullet$  The empty binary tree, for which I'll write  $\bigcirc$
- Or a point (called a **node**) connected to two smaller binary trees (called its **children**)
- The children must not share any nodes.



© Theodore Norvell, Memorial University

# The height and size of a binary tree

The **size** of a binary tree is the number of nodes it has. The **height** of a binary tree is number of levels of nodes it has



size is 5

Note that  $\bigcirc$  has height 0 and size 0.

Clearly a binary tree of size n can have a height of up to n.

When binary trees are used to store data:

- The amount of information stored is proportional to size of tree
- The time to access data is proportional to the height

Typeset October 31, 2005

3


Discrete Math. for Engineering, 2005. Application slides 5

© Theodore Norvell, Memorial University

## AVL trees

AVL trees are binary trees with the following restrictions.

- The empty tree is an AVL tree
- A nonempty binary tree is AVL if
  - $\ast$  the height difference of the children is at most 1, and
  - \* both children are AVL trees



Typeset October 31, 2005

4

© Theodore Norvell, Memorial University

## The question

We wish to access large amounts of data quickly.

- Remember amount of information is proportional to size of tree
- and access time is proportional to the height of the tree.

So the question is how high can an AVL tree of a given size be?

We start by asking a closely related question:

• How small can an AVL tree of a given height be?


Discrete Math. for Engineering, 2005. Application slides 5

© Theodore Norvell, Memorial University

# How small can an AVL tree of a given height be?

Let's make a table with the smallest AVL tree of each height

(empty trees are implied)



Typeset October 31, 2005

Typeset October 31, 2005

© Theodore Norvell, Memorial University

### The minsize function

In the table, each tree (of height h > 1) has, as children, smallest trees of heights h - 2 and h - 1

#### So we have

minsize(0) = 0

minsize(1) = 1

minsize(h) = minsize(h-1) + minsize(h-2) + 1, for  $h \ge 2$ Note the recurrence is not homogeneous.

#### Try a few values

0, 1, 2, 4, 7, 12, 20, 33, 54

Compare with the Fibonacci sequence

1, 1, 2, 3, 5, 8, 13, 21, 34, 55

We find

 $\operatorname{minsize}(h) = \operatorname{fib}(h+1) - 1$ 

#### where

$$fib(0) = 1$$
  
 $fib(1) = 1$   
 $fib(n) = fib(n-1) + fib(n-2)$ , for  $n \ge 2$ 

We can prove this by (complete induction).

Typeset October 31, 2005

7

Discrete Math. for Engineering, 2005. Application slides 5

© Theodore Norvell, Memorial University


Since  ${\rm fib}$  is defined by a linear homogeneous recurrence relation of degree 2 we can solve it

$$\operatorname{fib}(n) = \frac{1}{\sqrt{5}} \times \phi^{n+1} - \frac{1}{\sqrt{5}} \times (\frac{-1}{\phi})^{n+1} \quad \text{for all } n \in \mathbb{N}$$

where

 $\phi = \frac{1 + \sqrt{5}}{2}$ Consider  $\frac{1}{\sqrt{5}} \times \phi^{n+1} - \frac{1}{\sqrt{5}} \times (\frac{-1}{\phi})^{n+1}$  for  $n \in \mathbb{R}$  and  $n \ge 0$ . The first term is real, the second is complex.

As n gets big, the complex term becomes small. So we get  $minsize(h) \cong \frac{1}{\sqrt{5}} \times \phi^{h+2} - 1$ 



8

© Theodore Norvell, Memorial University

## The maximum height per given size

Discrete Math. for Engineering, 2005. Application slides 5

© Theodore Norvell, Memorial University

So invert 
$$\frac{1}{\sqrt{5}} \times \phi^{h+2} - 1$$
  
 $s = \frac{1}{\sqrt{5}} \times \phi^{h+2} - 1$   
 $\Leftrightarrow \sqrt{5} (s+1) = \phi^{h+2}$   
 $\Leftrightarrow \log_{\phi} \sqrt{5} (s+1) = h + 2$   
 $\Leftrightarrow \log_{\phi} \sqrt{5} (s+1) - 2 = h$   
 $\Leftrightarrow \log_{\phi} 2 \times \log_2(s+1) + \log_{\phi} \sqrt{5} - 2 = h$   
So maxheight(s)  $\cong 1.44 \times \log_2(s+1) - 0.3$   
For example  
maxheight(10<sup>6</sup>)  $\cong 29$ 


 $maxheight(10^{\circ}) \cong 29$  $maxheight(10^{9}) \cong 43$  $maxheight(10^{12}) \cong 58$ 

This means large amounts of data can be accessed in a small amount of time, if we store the data in AVL trees.

Typeset October 31, 2005

© Theodore Norvell, Memorial University

#### **Graphing maxheight**



 $maxheight(s) \ \mathsf{dots} \quad 1.44 \times \log_2(s+1) - 0.3 \ \mathsf{line}$ 

Typeset October 31, 2005

11